ShredLORD

User Manual, Limited Warranty, and Safety Warnings



Read this entire document before you install or use this product. Failure to do so can result in serious injury or death. By using this product, you agree to all terms within. By opening this package, installing, or using the ShredLORD device, you acknowledge you have read, understood, and agree to be legally bound by all terms, conditions, and warnings in this manual.

1. READ THIS FIRST: Acceptance of Terms & Warnings

By opening this package, installing, or using the ShredLORD device, you acknowledge you have read, understood, and agree to be legally bound by all terms, conditions, and warnings in this manual.

This document, including the Limited Warranty and Binding Arbitration Clause, is a **legally binding contract** between you (the "User") and **Fusionride, LLC** (the "Company").

- You agree that snowboarding is an **inherently dangerous activity** and that you **assume all risks** of injury or death.
- You agree that this product is **not a safety device** and does not eliminate the risks of snowboarding.
- You agree to the terms of the **One-Year Limited Warranty** and its exclusions.
- You agree to the **Binding Arbitration Clause** and **Class Action Waiver**, which requires all disputes to be resolved by an individual arbitrator, not a jury or court.

⚠ **WARNING**: This product can expose you to chemicals including Toluene Diisocyanate (TDI), Carbon Black, Phthalates, and curing agents, which are known to the State of California to cause cancer and birth defects or other reproductive harm.

For more information go to www.P65Warnings.ca.gov

IF YOU DO NOT AGREE TO ALL OF THESE TERMS, DO NOT USE THIS PRODUCT.

Return the new, unused product in its original packaging to your point of purchase for a full refund.

2. CRITICAL SAFETY WARNINGS

Failure to follow any of these warnings may result in product failure, serious injury, or death.

- **INSPECT BEFORE EVERY RIDE:** Always check for loose screws and bolts, cracks in the material, or any other signs of wear or damage. **DO NOT RIDE** if any part is loose, damaged, or appears compromised.
- **INSTALLATION:** Improper installation can cause your binding or the ShredLORD device to detach during a ride. Read and follow the installation instructions before attempting to install the ShredLORD device.
- **AGE RESTRICTION AND INTENDED USE:** The ShredLORD device is an aftermarket modification intended only for adult riders. This device is NOT intended for use by children, minors under the age of 18, or riders with no experience. By installing this product, you confirm that the user is an adult and is aware of the increased risks associated with modified equipment.
- **BUSHINGS REPLACEMENT FREQUENCY: Bushings must be replaced every 500 hours of use, after one year, or in case any significant change in structure and rigidity is noticed, whichever comes first.**
- **PROHIBITED USE:** This product is **NOT** designed, tested, or intended for freestyle use.
    - **DO NOT** use this product for jumps, rails, boxes, or half-pipe.

    - Using this product in such a manner will void your warranty and can cause product failure.

- **ALTERED RIDE FEEL:** This device will change the feel and response of your snowboard. Practice at low speeds in a safe, familiar area to understand these new characteristics before riding at higher speeds or in difficult terrain.
- **MAINTENANCE:** Failure to properly maintain this product will lead to poor performance and potential failure.
    - Replace polyurethane bushings as recommended (Section 6).
    - Do not modify, cut, or drill any part of this device.

3. PRODUCT SPECIFICATIONS

Max Rider Weight: 242 lbs (110 kg).

What's in the Box:

- One (1) ShredLORD Device (Top & Bottom Plates, gasket, bushings, hardware, preassembled)
- One (1) Set of spare **Bushings** (Red -Hard or Blue -Soft / One set already preinstalled)
- One (1) Hardware Pack:
    - Four (4) preinstalled M6 screws
    - Two (2) washers
- One (1) Warnings leaflet
- One (1) User Manual & Warranty (this document)

Materials:

- **Plates:** Aluminum
- **Bushings and gasket:** Polyurethane
- **Hardware:** Steel

4. BOARD & BINDING COMPATIBILITY

Failure to verify compatibility will result in improper installation and risk of failure.

- **BOARDS:** Compatible with 4x4, 2x4 (mini disk), and The Channel™ systems.
    - **NOT COMPATIBLE with the 3D® mounting pattern or any other patterns**.
- **BINDINGS:** Compatible with standard bindings using 4x4 or 2x4 (mini disk) hole patterns.
    - **NOT COMPATIBLE with the 3D® mounting pattern, Burton EST® bindings** (or any other two-screw side-mount on The Channel™), or any other pattern.

5. INSTALLATION INSTRUCTIONS




Image: ShredLORD Parts

Part names: 1 - Main locking nut; 2 - Top Plate; 3 - Rubber pin; 4 - Main locking washer; 5 - Protruding pin; 6 - Bushing; 7 – Bottom Plate; 8 – Main locking bolt; 9 – Gasket.

You will need: (1) Philips Screwdriver (PH3), (1) 17mm or 11/16" Socket Wrench, (1) **Torque Wrench**. Installation should take 2-5 minutes.




Image: Locations for binding connections

1. **Remove Binding:** Completely remove your **back leg binding** from your snowboard.
2. **Select Bushings:** The device comes with Hard (Red) bushings pre-installed. If you weigh under 165 lbs (75 kg) or prefer a softer, more comfortable ride, you can swap the Soft (Blue) bushing prior to installation. (See Section 6. for bushing change instructions).

3.1 **Installation: For 4x4 and 2x4 system pattern boards**

The ShredLORD is delivered with hardware pre-assembled for standard 4x4 and 2x4 mounting patterns. Ensure all four (4) screws are aligned with the board inserts before tightening.

WARNING: The additional hardware included in the package two (2) washers is intended **only** for The Channel™ System mounting and is not required for 4x4 or 2x4 setups.




Image: Locations for 4x4 snowboard connection (on snowboard and bottom plate)

a) **Place Device:** Place the ShredLORD device over the binding holes on your snowboard, ensuring it is oriented correctly (it only fits one orientation longitudinally in the direction of the board).

b) **Install Hardware to Board:** Tighten the **4 pre-assembled SCREWS (IMPORTANT: no washers**) with your Philips screwdriver (5 Nm torque).

c) Check that the device is rigidly attached to the board.

d) **Place Binding:** Place your binding on top of the ShredLORD device. Ensure that the holes on ShredLORD and the binding are aligned.

e) **Install Binding to ShredLORD: Using the original binding hardware**, insert them through binding into the ShredLORD device.

3.2 **For The Channel™ System:**

WARNING: Use only "Channel-specific" hardware included in the package for this installation of ShredLORD to the board.




Image: Locations for The Channel™ snowboard connection (on bottom plate)

a) **Remove screws:** Remove 4 pre-assembled screws of the ShredLORD using your Philips screwdriver.

b) **Place the gasket (pad):** Place the Gasket (pad) onto the Burton Channel inserts using the center holes on the gasket.

c) **Place the device:** Place the ShredLORD device over the Gasket on your snowboard, ensuring it is oriented correctly.

d) **Install Hardware to Board:** Using **two (2) of the SCREWS from step a) and the two (2) additional WASHERS,** tighten the screws with your Philips screwdriver to the Burton Channel inserts.

e) Check that the device is rigidly attached to the board.

f) **Place Binding:** Place your binding on top of the ShredLORD device. Ensure that the holes on ShredLORD and the binding are aligned.

g) **Install Binding to ShredLORD:** Use your original binding hardware to mount binding to ShredLORD; insert hardware through your binding (with the proper 4x4 or 2x4 attachment pattern) into the ShredLORD device.

4. **Set Angles & Stance:** Set your desired binding angle, then tighten the screws with your Philips screwdriver.

5. **Final Check:** Ensure the binding is flat, secure, and does not interfere with any part of the device. Ensure the ShredLORD device is flat and secure on the board.


   Confirm the screws are threaded through the full thickness of the ShredLORD top plate.

WARNING: This device will alter the feel, flex, and performance of your snowboard. **Practice at low speeds** in a safe, familiar area to understand how the device changes your ride before riding in difficult terrain or at higher speeds.

6. MAINTENANCE & BUSHING CHANGE

WARNING: Always inspect your device before every ride. Failure to do so can result in serious injury.

- **After the first use:** Following initial use, recheck and retighten main locking nuts. Normal settling of materials and hardware may occur as components align into their final position.



- **Before Every Ride:**
    1. **Check All Screws:** Ensure your screws attached to the binding, the screws attached to the board, and the device's main locking nuts are tight.
    2. **Visually Inspect:** Look for any cracks, damage, rust, or excessive wear in the plates and bushings. **DO NOT RIDE** if you see any damage.
- **Bushing Replacement:** ShredLORD must be removed from the board before bushings are replaced.
    1. Use a **17 mm or 11/16" socket wrench** to unscrew and remove the main locking nuts and top plate while blocking the main locking bolt with a 6 mm hex socket from the bottom of the device.
    2. Pull the old bushings off the main locking bolt.
    3. Press the new bushings (red-hard, blue-soft) onto the main locking bolt, with the protruding pins on the bushings facing upwards.
    4. Reinstall the top plate, making sure the protruding pins stick through the corresponding holes on the top plate, and tighten the locking nuts.
    5. **CRITICAL:** You **MUST** use a **torque wrench** to tighten the locking nuts to **10 (±0.5) Nm**. Failure to use a torque wrench, or overtightening/undertightening the nuts, can cause product failure.
- **Spare part usage:** Only use spare parts provided by **Fusionride LLC** for maintenance and repairs. The use of other unauthorized third-party components or modifications will void the product warranty.
- **Disassembly and reassembly:** To disassemble ShredLORD from your board/binding, remove all screws used to install ShredLORD to the board and binding to the ShredLORD, and fix your binding directly to your board using your own hardware. If you reassemble ShredLORD to your board/binding, ensure that you either use new screws OR apply thread-locker to the screws prior to assembly.

- **Storage:** Before storing ShredLORD rinse the device with fresh water to remove salt and debris, especially after spring riding. Dry thoroughly. Then store in a dark and dry place at around room temperature.

7. ONE-YEAR LIMITED WARRANTY

Fusionride, LLC, warrants this product to be free from **defects in materials and workmanship** for a period of one (1) year from the original date of purchase.

This Limited Warranty Does NOT Cover:

- Damage caused by **improper use, abuse, misuse, or neglect**.
- Damage caused by **impacts**.
- Damage caused by **improper installation**.
- Damage caused by any **modification, alteration, or repair**.
- Damage to other property or products, including any snowboard and binding to which this product is attached.
- **Normal wear and tear,** including cosmetic scratches, fading, or wear of the polyurethane bushings.

Exclusive Remedy: If a defect is found, your sole and exclusive remedy is, at the Company's discretion, the repair or replacement of the defective product. This warranty is only valid for the original purchaser and is non-transferable.

Disclaimer of All Other Warranties: TO THE FULLEST EXTENT PERMITTED BY LAW, FUSIONRIDE, LLC DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. FUSIONRIDE, LLC WILL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM A BREACH OF THIS LIMITED WARRANTY OR ANY IMPLIED WARRANTY IMPOSED BY LAW.

8. IMPORTANT: BINDING ARBITRATION & DISPUTE RESOLUTION

This section significantly affects your legal rights. Please read carefully.

- **Governing Law:** This Agreement and any dispute shall be governed by the laws of the State of **North Carolina**, without regard to its conflict of law principles.
- **Binding Arbitration:** You and Fusionride, LLC agree that any and all disputes, claims, or controversies arising out of or relating to this product, its purchase, its use, or this Agreement shall be resolved by **FINAL AND BINDING ARBITRATION**, not in a court of law.
- **Arbitrator & Rules:** The arbitration will be administered by the **American Arbitration Association (AAA)** in accordance with its Consumer Arbitration Rules. The arbitration will be conducted by a single, neutral arbitrator in **Durham, North Carolina**.
- **No Jury or Court:** You are giving up your right to go to court and your right to a **jury trial**. The arbitrator's decision will be final and binding.

9. CLASS ACTION WAIVER

You and Fusionride, LLC, agree that all Disputes will be resolved on an **individual basis**.

- You agree to **waive your right** to participate in any **class action, class arbitration, or representative action** lawsuit.
- The arbitrator may not consolidate more than one person's claims and may not preside over any form of a representative or class proceeding.

This "Binding Arbitration & Class Action Waiver" section survives the termination of the Limited Warranty.

Manufactured and Distributed by:

Fusionride, LLC

Durham, NC, USA

Product Support & Questions:

https://fusionride.at

support@fusionride.at

© 2025-2026 Fusionride, LLC. All rights reserved.

Rev. 10.

Patent Pending.

Always inspect your gear. Always ride in control.

Read all warnings and this full manual before use.